



1/16 E-Revo® (Model 71054-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 5124 **Ball bearings, blue rubber sealed (4x7x2.5mm) (2)**
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 5114 **Ball bearings, blue rubber shield (5x8x2.5mm) (2)**

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body Clips (12) (standard size)
- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 4915 Body washers, foam adhesive (10)
- 6716 **Body Washers, Foam, 2mm/3mm/4mm**
- 7111 **Body, 1/16 E-Revo (clear, requires painting)/ grille and lights decal sheet**
- 7115-BLUE Body, 1/16 E-Revo, blue (painted, decals applied)
- 7115X **Body, 1/16 E-Revo, ProGraphix® (graphics are printed, requires paint & final color application)/ body mounts (front & rear)/ rear body support/ decal sheet**
- 7115-RED Body, 1/16 E-Revo, red (painted, decals applied)
- 2514 Decal sheet, racing sponsors
- 7114 Decal sheets, 1/16 E-Revo
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 7121 Wing mount/ hardware (1/16 E-Revo)
- 7122 Wing, 1/16 E-Revo (black)/ decal sheet
- 7122G **Wing, 1/16 E-Revo (Exo-carbon finish)/ decal sheet**
- 7123 **Wing, 1/16 E-Revo (white)/ decal sheet**

Bumpers & Skidplates

- 7135 Bumpers, front (1)/ rear (1)
- 7037 Skidplate set, front (1)/ rear (1)/ transmission (1) (black)/ Guards, steering servo (2) / cover plate, steering servo (1)

Chassis & Attachments

- 7015 Body mounts, front & rear/ body mount posts, front & rear
- 7024X Box, receiver (sealed)/ wire cover/ foam pads, upper & lower/ silicone grease/ 2.5x8 CS (4)/ 3x4 GS (1)
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- 7030X Bulkhead, front (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7029X Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7022 Chassis
- 7026 Door, battery compartment (1)/ vents, battery compartment (1 pair) (fits right or left side)
- 7185A **LED light kit, 1/16 E-Revo® (includes power supply, front & rear bumpers, light harness (4 clear, 4 red), wire ties)**
- 7186 **LED lights, light harness (4 clear, 4 red)/ bumpers, front & rear/ wire ties (3) (requires power supply #7286)**
- 7286A **LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap connector (with cable)/ 2.6x8 BCS (2)**
- 7025 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 7037 Skidplate set, front (1)/ rear (1)/ transmission (1) (black)/ Guards, steering servo (2) / cover plate, steering servo (1)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7184 **Wheelie bar, assembled**
- 7121 Wing mount/ hardware (1/16 E-Revo)

Differential Components

- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 7080 Cover plates, differential (front or rear)/ gaskets (2)/ o-rings (2)/ 2x14mm BCS (3)
- 7078 Differential assembly, complete
- 7014 **Differential kit, center (complete for 1/16 E-Revo, 1/16 Slash)**
- 5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 7082 Gear set, differential (output gears (2)/ spider gears (3))/ differential output shafts (2)/ 1.5x6mm pin (3)/ 1.5x8mm pin (2)
- 5130 **Oil, differential (100K wt) (0.7 oz (20cc))**
- 5135 **Oil, differential (10K wt) (1.7 oz (50cc))**
- 5136 **Oil, differential (30K wt) (1.7 oz (50cc))**
- 5137 **Oil, differential (50K wt) (1.7 oz (50cc))**
- 7014X **Rebuild kit, center differential (1/16 E-Revo/Slash) (includes o-rings and diff gear covers)**
- 7079 Ring gear, differential/ pinion gear, differential

Driveline Components

- 7034 Axle carriers, left & right (2 each)
- 7052 **Drive cups, inner (2) 1/16 E-Revo/Slash (steel constant-velocity driveshafts)**
- 7151 Driveshaft assembly (1) left or right (fully assembled, ready to install)/ 3x10mm screw pin (1)
- 7151X **Driveshaft, 1/16 E-Revo (steel constant-velocity) (assembled) (4)**
- 7153 **Driveshaft, steel constant-velocity, 1/16 E-Revo (shaft only, 68mm)/ drive cup pin (1)**
- 7250R **Driveshafts, center (steel constant-velocity) front (1), rear (1) (fully assembled)**
- 7056 Half shafts, center front (1), center rear (1) (internal splined half shafts (2)/external splined half shaft (2))/ metal u-joints (4)
- 7150 Half shafts, left or right (internal splined half shaft (2)/external splined half shaft (2))/ metal u-joints (4)
- 7055 **Rebuild kit (for 1/16 E-Revo/Slash steel constant-velocity driveshafts) (includes pins, o-rings, stub axles for driveshafts assemblies)**
- 7054 Stub axle, steel (2)/ yokes (2) (assembled)
- 7154 Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)
- 7154X **Wheel hubs, hex, aluminum (4) (blue-anodized)**
- 7057 Yokes, differential and transmission (2)/ 3x10mm screw pin (2)

Front Suspension

- 7033X **Aluminum caps, pivot ball (threaded aluminum, hard-anodized, PTFE-coated (8)/ hex wrench, 5mm**
- 7034 Axle carriers, left & right (2 each)
- 7023 Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
- 7030X Bulkhead, front (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
- 7028 Hollow balls (20)
- 7028X **Hollow balls, steel (machined) (22)**
- 7033 Pivot balls (4)/ pivot ball caps (4)
- 7018 Push rod (molded composite) (4)/ hollow balls (8) (1/16 Slash)
- 7118G **Push rod (molded composite) (green) (4)/ hollow balls (8)**
- 7118 Push rod (molded composite) (red) (4)/ hollow balls (8)
- 7118X **Push rods, aluminum (red-anodized) (4) (assembled with rod ends)**
- 7155 Rocker arm post, steel (4)
- 7158 Rocker arm set, progressive-2/ 4x7x2.5mm PB (8)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7131 Suspension arm set, front (includes upper right & left and lower right & left arms)
- 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)

Hardware

- 5124 **Ball bearings, blue rubber sealed (4x7x2.5mm) (2)**
- 7019 Ball bearings, blue rubber sealed (4x8x3mm) (2)
- 7020 Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
- 5114 **Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
- 5123 Bellcrank bushings (plastic) (4x7x2.5mm) (4)
- 1834 Body Clips (12) (standard size)
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 5150 E-clips, 1.5mm (24)
- 5477 Flat wrench, 5mm (blue anodized aluminum)
- 7028 Hollow balls (20)
- 7028X **Hollow balls, steel (machined) (22)**
- 2745 Nuts, 3mm nylon locking (12)
- 1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
- 3647 **Nuts, 4mm flanged nylon locking (steel, serrated) (8)**
- 1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
- 1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
- 1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
- 1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
- 7155 Rocker arm post, steel (4)
- 7059 **Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)**
- 2523 Screws, 2.5x10 countersunk machine (hex drive) (6)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 2526 Screws, 2.5x12 countersunk machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)

Page 2 1/16 E-Revo®: TQ™ 2.4GHz radio, Titan® 550 motor (Model 71054-8) Parts List

3159	Screws, 3x10mm caphead machine (hex drive) (6)/ lockwashers (6)/ hex wrench
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)

LED Lights

6549	Connector, power tap (with voltage sensor plug)/ wire tie/ 2.6x8 BCS (2)
7185A	LED light kit, 1/16 E-Revo® (includes power supply, front & rear bumpers, light harness (4 clear, 4 red), wire ties)
7186	LED lights, light harness (4 clear, 4 red)/ bumpers, front & rear/ wire ties (3) (requires power supply #7286)
7286A	LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap connector (with cable)/ 2.6x8 BCS (2)

Motors & Electronics

2082A	Gear set (for 2080A waterproof micro servo)
2082R	Gear set, metal (for 2080R waterproof micro servo)
2082X	Gear set, metal (for 2080X waterproof micro servo)
3374	Heat sink, Velineon® 380 brushless motor, aluminum (blue-anodized)
7060	Motor mount, finned aluminum
7360	Motor mount, finned aluminum (for 550 motors)
3785	Motor, Titan® 12T (12-Turn, 550 size)
3371	Motor, Velineon® Mini Maxx® 380, brushless (assembled with 16-gauge wire and gold-plated connectors)
2081A	Servo case/ gaskets (for 2080A micro waterproof servo)
2081X	Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)
2080A	Servo, micro, waterproof
2080X	Servo, micro, waterproof, metal gear
2080R	Servo, micro, waterproof, metal gear
3370	Velineon® VXL-3m Brushless Power System, waterproof (includes waterproof VXL-3m ESC and Velineon® 380 motor)
3375	VXL-3m Electronic Speed Control, waterproof (brushless)
3024R	XL 2.5 Electronic Speed Control, waterproof With Low Voltage Detection

Radio System, Batteries & Chargers

2820X	2200mah 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	Battery, Power Cell AA Alkaline (4)
2925X	Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A)
2974	Charger, D/C, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2985	Charger, EZ-Peak® USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
2949	Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®)
2982	Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2082A	Gear set (for 2080A waterproof micro servo)
2082R	Gear set, metal (for 2080R waterproof micro servo)
2082X	Gear set, metal (for 2080X waterproof micro servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
2912	Power adapter, AC, USB-C (45W)
2916	Power cable, USB-C, 100W (high output)
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6522	Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4 GS (1)
6523	Sensor, temperature and voltage (short)
2081A	Servo case/ gaskets (for 2080A micro waterproof servo)

2081X	Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo)
2080A	Servo, micro, waterproof
2080X	Servo, micro, waterproof, metal gear
2080R	Servo, micro, waterproof, metal gear
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module
3375	VXL-3m Electronic Speed Control, waterproof (brushless)
3064X	Wire harness, parallel battery connection (compatible with Traxxas® High Current Connector, NiMH only)
3024R	XL 2.5 Electronic Speed Control, waterproof With Low Voltage Detection

Ready-To-Race Model

71054-8	E-Revo®: 1/16-Scale 4WD Racing Monster Truck with TQ™ 2.4GHz radio system
---------	---

Rear Suspension

7033X	Aluminum caps, pivot ball (threaded aluminum, hard-anodized, PTFE-coated (8)/ hex wrench, 5mm
7034	Axle carriers, left & right (2 each)
7023	Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
7029X	Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS (1)
7028	Hollow balls (20)
7028X	Hollow balls, steel (machined) (22)
7033	Pivot balls (4)/ pivot ball caps (4)
7118G	Push rod (molded composite) (green) (4)/ hollow balls (8)
7118	Push rod (molded composite) (red) (4)/ hollow balls (8)
7118X	Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
7155	Rocker arm post, steel (4)
7158	Rocker arm set, progressive-2/ 4x7x2.5mm PB (8)
2523	Screws, 2.5x10 countersunk machine (hex drive) (6)
7043	Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
7132	Suspension arm set, rear (includes upper right & left and lower right & left arms)
7132R	Suspension arm set, rear, extended wheelbase (lengthens wheelbase 10mm) (includes upper right & left and lower right & left arms)
7021	Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
7138G	Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)
7138	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
7138X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GTR)

7066	Body, GTR shock (molded composite) (2)
7065	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)
7028	Hollow balls (20)
7067	Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)
7062	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e-clips, shock rod ends, hollow balls) (renews 2 shocks)
7063	Shaft, GTR shock (2)

- 7063T **Shaft, GTR shock (TiN-coated) (4)**
- 7061 Shocks, GTR composite, 1/16 E-Revo/Slash (assembled, without springs) (2)
- 7061X **Shocks, GTR hard anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (4)**

Slipper Clutch Components

- 7152 Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)

Springs

- 7145 **Spring, shock (GTR) (1.76 rate, orange) (1 pair)**
- 7146 **Spring, shock (GTR) (1.92 rate, green) (1 pair)**
- 7147 Spring, shock (GTR) (2.06 rate, tan) (1 pair)
- 7148 Spring, shock (GTR) (2.22 rate, black) (1 pair)

Spur Gears & Pinion Gears

- 2416 **Gear, 16-T pinion (48-pitch) / set screw**
- 1918 **Gear, 18-T pinion (48-pitch) / set screw**
- 2419 **Gear, 19-T pinion (48-pitch) / set screw**
- 2423 Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw
- 2426 **Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
- 4728 **Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
- 2431 **Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw**
- 4725 **Gear, pinion (25-tooth) (48-pitch) / set screw**
- 7045R **Spur gear, 45-tooth**
- 7046R Spur gear, 50-tooth
- 7047R **Spur gear, 55-tooth**

Steering Components

- 5114 **Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
- 2545 Bushings (plastic) (5x8x2.5mm) (4)
- 7043 Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)
- 7138G **Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)**
- 7138 Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
- 7138X **Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)**

Suspension Linkage

- 7028 Hollow balls (20)
- 7028X Hollow balls, steel (machined) (22)
- 7118G **Push rod (molded composite) (green) (4)/ hollow balls (8)**
- 7118 Push rod (molded composite) (red) (4)/ hollow balls (8)
- 7118X **Push rods, aluminum (red-anodized) (4) (assembled with rod ends)**
- 7021 Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
- 7138G **Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)**
- 7138 Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
- 7138X **Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)**

Tires & Wheels

- 7174A Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2)
- 7175 **Tires & wheels, assembled, glued (white dished 2.2" wheels, Response Pro 2.2" tires, foam inserts) (2)**
- 7173 **Tires, Response Pro 2.2" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)**
- 7170 Tires, Talon / foam inserts (2)
- 7154 Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)
- 7154X **Wheel hubs, hex, aluminum (4) (blue-anodized)**
- 7171 **Wheels, dished 2.2" (white) (2)**
- 7172A Wheels, Gemini (black chrome) (2)

Transmission Components

- 7077R **Cover, gear/ motor mount hinge post/ 3x10mm CS with split and flat washers (1)/ 3x8mm BCS (1)**
- 7379R Cover, gear/motor plate access cover/ motor mount hinge post / 3x10mm CS w/split and flat washers (1) / 2.5x4mm CS (2) / 3x8mm BCS (1) (for 550 motors)
- 7014 **Differential kit, center (complete for 1/16 E-Revo, 1/16 Slash)**
- 7093 Gear set, transmission (includes 18T, 25T input gears, 13T idler gear (steel), 35T output gear, M3x13.75 screw pin)
- 7091 Gearbox halves, front & rear
- 7092 Input shaft/ output shaft
- 7090 **Plate, motor**
- 7380 Plate, motor (for 550 motor)
- 7014X **Rebuild kit, center differential (1/16 E-Revo/Slash) (includes o-rings and diff gear covers)**

- 7152 Slipper clutch, complete (includes slipper clutch hub, clutch pad, spring, 3.0mm NL, 1.5x6mm pin)
- 7095 **Transmission, complete (fits 1/16-scale brushed models)**

Traxxas Tools

- 3433X **Body reamer (aluminum handle)**
- 3433 **Body reamer (plastic handle)**
- 3436 **Cap, body reamer**
- 3432 **Scissors, curved tip**
- 3431 **Scissors, straight tip**
- 8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
- 8720 **Speed bit handle, large (overmolded)**
- 8721 **Speed bit handle, medium (one piece)**
- 8722 **Speed bit handle, premium (rubber overmold)**
- 8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
- 8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
- 8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
- 8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8714 **Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
- 2748R **Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
- 3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Turnbuckles & Threaded Rods

- 7028 Hollow balls (20)
- 7028X **Hollow balls, steel (machined) (22)**
- 7118G **Push rod (molded composite) (green) (4)/ hollow balls (8)**
- 7118 Push rod (molded composite) (red) (4)/ hollow balls (8)
- 7118X **Push rods, aluminum (red-anodized) (4) (assembled with rod ends)**
- 7138G **Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)**
- 7138 Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
- 7138X **Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM