

Bandit® (Model 24254-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	3728	Lower chassis (black) (166mm long battery compartment) (fits
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	3722X	both flat and hump style battery packs) Lower chassis (black) (166mm long battery compartment) (fits
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	JIZZX	both flat and hump style battery packs)(use only with #3725R
2545	Bushings (plastic) (5x8x2.5mm) (4)		ESC mounting plate)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	3728A	Lower chassis (gray) (166mm long battery compartment) (fits both fla
	Body & Accessories	27250	and hump style battery packs)
1926	Antenna caps, vinyl (2)/ antenna spool	3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
1834	Body Clips (12) (standard size)	9462X	Side plates, wheelie bar, blue (aluminum) (2)
1815	Body washers (8)	9462	Side plates, wheelie bar, charcoal gray (aluminum) (2)
6716	Body Washers, Foam, 2mm/3mm/4mm	9462G	Side plates, wheelie bar, green (aluminum) (2)
2417	Body, Bandit (front & rear) (clear, requires painting)/ window,	9462A	Side plates, wheelie bar, orange (aluminum) (2)
2449	lights, grille decal sheet Body, Bandit, Hawaiian graphics (painted, decals applied)	9462P	Side plates, wheelie bar, pink (aluminum) (2)
2433	Body, Bandit, pink (painted, decals applied)	9462R	Side plates, wheelie bar, red (aluminum) (2)
2420	Body, Bandit, ProGraphix® (replacement for the painted body.	5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
	Graphics are printed, requires paint & final color application)/	3729-BLK	Upper chassis (black)
	decal sheet	3729-GRAY 4974	Upper chassis (gray) Wheelia Bar arm (1)/ connector (1)/ 3×12 SS (how drive) (1)
2448	Body, Bandit, Rock n' Roll (painted, decals applied)	3677X	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (blue)
2450	Body, Bandit® (also fits Bandit® VXL), black & red/ wing	3677A	Wheelie bar mount (1) / hardware (green)
04507	(painted, decals applied)	3677P	Wheelie bar mount (1) / hardware (pink)
2450X	Body, Bandit® (also fits Bandit® VXL), green/ wing (painted, decals applied)	3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit
2450T	Body, Bandit® (also fits Bandit® VXL), orange/ wing (painted,		series)
24001	decals applied)	9464	Wheelie bar mount (heavy duty)
2450L	Body, Bandit®, ProGraphix®/ wing (graphics are printed,	2477	Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for
	requires paint & final color application)/ decal sheet		LED light kit installation)
2514	Decal sheet, racing sponsors	3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®,
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	3678X	Rustler®, Bandit® series) Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	30707	series)
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	3678A	Wheelie bar, assembled (green) (fits Slash®, Stampede®,
4974 3677X	Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (blue)		Rustler®, Bandit® series)
3677A	Wheelie bar mount (1) / hardware (green)	3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,
3677P	Wheelie bar mount (1) / hardware (pink)		Rustler®, Bandit® series)
3677	Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit	3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,
	series)	3678R	Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,
3678	Wheelie bar, assembled (black) (fits Slash®, Stampede®,	30701	Bandit® series)
	Rustler®, Bandit® series)	9460	Wheelie bar, black (assembled)/ wheelie bar mount
3678X	Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit	9460X	Wheelie bar, black chrome (assembled)/ wheelie bar mount
3678A	series) Wheelie bar, assembled (green) (fits Slash®, Stampede®,	4976	Wheels (4)/ Axles (2), for Maxx® Wheelie Bar
3010A	Rustler®, Bandit® series)	5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
3678T	Wheelie bar, assembled (orange) (fits Slash®, Stampede®,		axles (2)/ rubber tires (2)
	Rustler®, Bandit® series)	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
3678P	Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®,	9461X	axles (2)/ rubber tires (2) Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/
	Bandit series)	340 IX	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
3678R	Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®,	9461T	Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/
4976	Bandit® series) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/
01004	axles (2)/ rubber tires (2)		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/
	axles (2)/ rubber tires (2)	9461P	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)	340 IP	5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
2414	Wing wire	9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/
	Chassis & Attachments		5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9463X	Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12	9461	Wheels, wheelie bar, black (26mm (2), 18mm (2))
	BCS (with threadlock) (2)		Differential Components
9463	Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12	2380	Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit,
	BCS (with threadlock) (2)	2000	Stampede®, Slash®)
9463G	Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12	2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit,
9463A	BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12		Stampede®, Rustler®)
J-100A	BCS (with threadlock) (2)	2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment
9463P	Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12	22024	shaft (1) all hardened steel
	BCS (with threadlock) (2)	2388X	Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)
9463R	Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12	1647	Silicone Grease
	BCS (with threadlock) (2)	10 (1	
3727	Battery hold-down plate (black)/ metal posts (2)/body clips (2)		Driveline Components
3727A	Battery hold-down plate (grey) / metal posts (2) / body clips (2)	9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/
3628 2735	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)		3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
2735 2735P	Bumper (front) Bumper (front) (pink)	9150-RI IIE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/
	Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED	3130-DLUE	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,
3735	DUMDER HOOR 4X 17 C/Co (7) (IIIS 2001) RUSHERR OF BADORRI COLLECT		

Page 2 Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts List

Page 2	Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts	List	
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9137-ORNG	Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
4628R 4628X	Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2)	9137-RED	Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9450	Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1)		Suspension arms, black (rear, left & right), heavy duty Suspension arms, blue (rear, left & right), heavy duty
9450R 9451	Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1)	2758-GRN 2758-ORNG 2758-RED	Suspension arms, green (rear, left & right), heavy duty Suspension arms, orange (rear, left & right), heavy duty Suspension arms, red (rear, left & right), heavy duty
2751	(fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®) Half-shaft pro-pack (internal-splined (6)/external (6)) (plastic	9192	Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
1651	shafts only) Half-shafts (internal-splined (2)/external-splined (2)/ metal U-joints	2537	Front Suspension & Steering 3mm threaded rods: 1 each of 20mm,25mm&44mm
2754 2753X	(4) Stub axle pins (4) Stub axles, rear (2)	5114 2530-BLK	Ball bearings, blue rubber shield (5x8x2.5mm) (2) Bulkhead (front) (black) Bulkhead (front) (gray)
21338	Extreme HD Upgrade Kit	2545	Bushings (plastic) (5x8x2.5mm) (4)
9191	Camber links, front (molded composite) (67mm center to center) (2)	9191	Camber links, front (molded composite) (67mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
9190	(assembled with hollow balls) (for use with #9182 upgrade kit) Camber links, rear (molded composite) (56mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)	9135	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9135-BLUE	upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9135-GRAY	upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9135-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9135-ORNG	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	9135-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	2437 1942	Front axles (2)/ 4mm nylon locknuts (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
9135	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	5525R 2742 5347	Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)
9135-BLUE	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	2742X 3744X	Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters
	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	3639 9137	Shock tower (front) Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9135-GRN	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	9137-BLUE	Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	9137-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9135-RED	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit)	9137-GRN	Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180,
9182	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Bandit® or Drag Slash®)	9137-ORNG	9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, orange (left & right)/
	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray	9137-RED	3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm
9182-GRN	(fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,		hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
	green (fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,	2531A	Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
9182-RED	orange (fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty,	2531L	Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set)
9137	red (fits Bandit® or Drag Slash®) Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm	2531G 2531T	Suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632
	hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	20011	series caster block and #3640 screw pin set)

Page 3 Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts Li	Page 3	Bandit®:	TQ™ 2.40	Hz Radio	(Model 2	24254-8)	Parts I	List
---	--------	----------	----------	----------	----------	----------	---------	------

Page 3	Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts	List	
2531R	Suspension arms, red, front, heavy duty (2) (requires #3632		Motors & Electronics
0440	series caster block and #3640 screw pin set)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2)	3790	Gear adapter, fixed
0040	(strengthens caster blocks)	2053 2072A	Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos)
2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead)	2072A 2252	Gear set, metal (for 2250, 2255 servos)
2532	Tie bar, fiberglass (requires suspension pins, part# 2640)	2272	Gear set, metal (for 2270 waterproof servo)
9192	Toe links (molded composite) (75mm center to center) (2) (assembled	1552	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench
2445	with hollow balls) (for use with #9182 upgrade kit)	1275	Motor, Stinger (20-turn, 540 size)
2443	Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls)	3785 3351R	Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge
	Hardware		wire and gold-plated bullet connectors)
2537	3mm threaded rods: 1 each of 20mm,25mm&44mm	3725R	Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®)
4363	Ball screws (3x12mm) (lower shock attachment screws) (6)	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
1834	Body Clips (12) (standard size)	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
3934 3980	Body clips, heavy duty (12) Glow plug wrench (Universal wrench)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
3787	Hardware kit, Bandit®/Stampede®/Rustler® (contains all	2271	2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo)
	hardware used on Bandit®, Stampede®, or Rustler®)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
1552	Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
1747P 3647	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8)	2075	Servo, digital high-torque (ball bearing), waterproof
1747	Nuts, 4mm nylon locking (10)	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing) waterproof
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)		bearing), waterproof
1747T 1747A	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	2280	Servo, digital high-torque 600 brushless, metal gear (ball
1747A 1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)	2270	bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
	(2)	2056	Servo, high-torque, waterproof (blue case)
5525R 2742	Rod ends, heavy duty (Jato®/Slayer) (8)	3350R	Velineon® VXL-3s Brushless Power System, waterproof
5347	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)		(includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))
2742X	Rod ends, short (6)/ hollow balls (6)	3355R	VXL-3s Waterproof Electronic Speed Control (brushless)
3288	Screw, 3x15mm washerhead self-tapping (6)		(fwd/rev/brake)
3229 3965	Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6)	3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)
2587	Screws, 3x10mm caphead machine (6) (no washer)		Radio System, Batteries & Chargers
2675	Screws, 3x10mm roundhead self-tapping (6)	2827X	3000mah 7.4v 2-Cell LiPo Battery
2648	Screws, 3x12mm countersunk self-tapping (6)	2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
2676 3186	Screws, 3x12mm roundhead self-tapping (6) Screws, 3x12mm washerhead machine (6)	2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
3286	Screws, 3x12mm washerhead self-tapping (6)	2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2649	Screws, 3x15mm countersunk self-tapping (6)	2914 2976	AA 4PK AC to DC adapter
2563	Screws, 3x15mm roundhead machine (6)	2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®
3187 2566	Screws, 3x15mm washerhead machine (6) Screws, 3x20mm roundhead machine (6)		batteries to separate balance ports)
2567	Screws, 3x23mm roundhead machine (6)	2943	Battery charge indicators, green (4), grey (4), blue (4)
2554	Screws, 3x6mm caphead machine (hex drive) (6)	6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2558	Screws, 3x6mm roundhead machine (6)	2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
3185X	Screws, 3x8mm washerhead machine (large head for motor mount) (6)	2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)
3290	Screws, 3x8mm washerhead self-tapping (6)	2942X 2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V)
2548	Screws, 4x12mm countersunk machine (100-degree) (6)	2940X 2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)
3167	Screws, 4x15mm countersunk machine (6)	2952X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V)
2743 3742	Set (grub) screws, 3mm hardened (12) Shoulder screws, steering bellcranks (3x30mm cap-head machine)	2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
JL	(2)/ draglink shoulder screws (chrome) (2)	2951X 2960X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
3642	Shoulder screws, Ultra shocks (3x12) (6)	2960X 2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hat, 6.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2754 9142	Stub axle pins (4) Suspension pin set, extreme heavy duty, complete (front and rear)	2985-2S	Battery/charger completer pack (includes #2985 charger (1),
9142	(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with		#2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))
	#9180, 9181, 9182 upgrade kit)	2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3740	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens	2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2637	caster blocks) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4)	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery
2746	Washers, 3x6mm metal (12)	2973	Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
2/40	14" 1 " (0) (((0) (((0) (((0) (((0) (((0) (((0) ((((((((2013	Battery Identification
2615	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)		
	Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2)	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
		2970 2981	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto
2615 3791 3795	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount)	2981	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2615 3791	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD	2981 2985	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification
2615 3791 3795	LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with	2981	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto

Page 4	Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts	List	
2053	Gear set (for 2055, 2056 servos)	9450	Driveshaft assembly (1), left or right (fully assembled, ready to
2072A	Gear set (for 2070, 2075 servos)		install)/ screw pin (1)
2252	Gear set, metal (for 2250, 2255 servos)	9450R	Driveshafts, rear, steel-spline constant-velocity (complete
2272	Gear set, metal (for 2270 waterproof servo)	20207	assembly) (2)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	3638X	Shock tower (rear)
	Traxxas® iD® batteries)	2753X	Stub axles, rear (2)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	2758	Suspension arms, black (rear, left & right), heavy duty
0505	Traxxas® iD® batteries)		Suspension arms, blue (rear, left & right), heavy duty
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	2758-GRN	Suspension arms, green (rear, left & right), heavy duty
2912	Power adapter, AC, USB-C (45W) (110 volt, North America only)	2758-RED	S Suspension arms, orange (rear, left & right), heavy duty
2916	Power cable, USB-C, 100W (high output), 5 ft. (1.5m)	9142	Suspension arms, red (rear, left & right), heavy duty Suspension pin set, extreme heavy duty, complete (front and rear)
6519	Receiver, micro, TQ 2.4GHz (3-channel)	3142	(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with
6552	Seal kit, expander box (includes o-ring, seals, and silicone		#9180, 9181, 9182 upgrade kit)
0002	grease)		
6526	Sensor, auto-detectable, temperature		Shock Oil
6527	Sensor, auto-detectable, voltage	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
6520	Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)	5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
6521	Sensor, temperature and voltage (long)	5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
	2250, 2255 servos)	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
2271	Servo case/ gaskets (for 2270 waterproof servo)	5029	Shock oil bottle (60cc) (for mixing shock oil)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	5038	80 wt premium shock oils with spinning carousel rack) Spinning carousel rack
2075	Servo, digital high-torque (ball bearing), waterproof	5036	
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		Shocks (Pro-level Aluminum)
	waterproof	2664	Big Bore shock cylinder (long) (1)
2255	Servo, digital high-torque 400 brushless, metal gear (ball	5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)
0070	bearing), waterproof		(assembled with TiN shafts and springs) (front & rear) (4)
2270 2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2660	Big-bore shocks (long) (hard-anodized & PTFE-coated T6
2075	Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, high-torque, waterproof (blue case)		aluminum) (assembled with TiN shafts) w/o springs (2)
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system	2662	Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6
6550X	Telemetry expander 2.0, TQi radio system (for use only with		aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
0330X	#6551X GPS module)	2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with	1942	& washers (2) (Big Bore Shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
000174	#6550X telemetry expander)	1942	(2)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/	2742X	Rod ends, short (6)/ hollow balls (6)
	3x8mm CCS (3)/ 3x10mm CCS (3)	2667	Shock caps, aluminum (2) (Big Bore Shocks)
6540	Telemetry trigger magnet, 5X2mm (1)	2362	Shock rebuild kit (for 2 shocks)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
	enabled, TSM® (2-ch transmitter, 5-ch micro receiver)	1664	Shock shafts, steel, chrome finish (long) (2)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®	1765	Silicone diaphragms (4)
	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro	2668	Spring retainers, upper & lower (2)/ spring pre-load spacers:
0540	receiver)		1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore
6516 6528	Transmitter, TQ 2.4GHz, 2-channel (transmitter only) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-		Shocks)
0320	channel (transmitter only)	5860	Springs, front (white) (progressive rate) (2) (for Slash big bore
6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-		shocks)
0023	channel (transmitter only)	5859	Springs, rear (white) (progressive rate) (2) (for Slash big bore
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-		shocks)
	channel (transmitter only)		Shocks (Ultra Shocks)
6511	Traxxas® Link Bluetooth® module	3642	Attachment screws, shock (3x12mm shoulder screws) (6)
6537	Wire retainers, gear cover/ 3x4mm BCS (2)	3765A	Body, Ultra Shock (long) (grey) (2)
3018R	XL-5 Electronic Speed Control, waterproof (land version, low-voltage	3766A	Body, Ultra Shock (XXL) (grey) (2)
	detection, fwd/rev/brake)	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
	Ready-To-Race Model		(2)
24254-8	Bandit®: 1/10 Scale Off-Road Buggy with TQ™ 2.4GHz radio system	2742X	Rod ends, short (6)/ hollow balls (6)
24234-0		3767	Shock caps (2)/ shock bottoms (2)
	Rear Suspension	8361	Shock caps (black) (4) (assembled with hollow balls)
9190	Camber links, rear (molded composite) (56mm center to center) (2)	3767A	Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
	(assembled with hollow balls) (for use with #9182 upgrade kit)	3767G	Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/	3767T	Shock caps, aluminum (orange-anodized) (4) (fits all Ultra
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	2767D	Shocks)
0450 BLUE	9181, 9182 upgrade kit)	3767P 3767X	Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
9150-BLUE	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/	2362	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) Shock rebuild kit (for 2 shocks)
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)	2362 1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
9150-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/	1664	Shock shafts, steel, chrome finish (long) (2)
5.55 SIV(I	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181,	1765	Silicone diaphragms (4)
	9182 upgrade kit)	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
9150-GRN	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
	3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	5.00	(2)) $(2)^n$
	9181, 9182 upgrade kit)	2457	Spring, rear(black) (2)
9150-ORNG	Carriers, stub axle, rear, extreme heavy duty, orange (left &	2458P	Springs (front) (pink) (2)
	right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with	2458A	Springs (front) (white) (2)
0450 555	#9180, 9181, 9182 upgrade kit)	2457P	Springs, (rear) (pink) (2)
9150-RED	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180,	2458	Springs, front (black) (2)
	9181, 9182 upgrade kit)	2457A	Springs, rear (white) (2)
	, . rom upgrado iniy		

Page 5	Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts	List	
3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)	2444R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	9190	balls)/ aluminum wrench (1) Camber links, rear (molded composite) (56mm center to center) (2)
3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)	2443X	(assembled with hollow balls) (for use with #9182 upgrade kit) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,
3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)	2443A	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6
3793	Slipper Clutch Components Input shaft (slipper shaft) / spring pin	2443A	aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))	2443G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
2554 5556	Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy)	2443T	balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
	Spur Gears & Pinion Gears		balls)/ aluminum wrench (1)
3790	Gear adapter, fixed	2443P	Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum,
2416	Gear, 16-T pinion (48-pitch) / set screw		stronger than titanium) (2) (assembled with rod ends and hollow
1918 2419	Gear, 18-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw	24420	balls)/ aluminum wrench (1)
2413	Gear, 21-T pinion (48-pitch) / set screw	2443R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw		balls)/ aluminum wrench (1)
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw	1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw		(2)
4725	Gear, pinion (25-tooth) (48-pitch) / set screw	5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
4676	Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch)	2742 5347	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)
4683	Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper		Rod ends, short (6)/ hollow balls (6)
4000	clutch)	9142	Suspension pin set, extreme heavy duty, complete (front and rear)
4686	Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch)		(2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
4690	Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch)	3740 2637	Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front
	Steering Components	2037	suspension arm to caster block)
2537	3mm threaded rods: 1 each of 20mm,25mm&44mm	2640	Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to
5114 2545	Ball bearings, blue rubber shield (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4)	0400	strengthen front bulkhead)
9191	Camber links, front (molded composite) (67mm center to center) (2)	9192	Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit)
1942	(assembled with hollow balls) (for use with #9182 upgrade kit) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	2445X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
07.40	(2)		balls)/ aluminum wrench (1)
2742 5347	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12)	2445A	Toe links, front (TUBES charcoal gray-anodized, 7075-T6
2742X	Rod ends, short (6)/ hollow balls (6)		aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3744	Servo saver w/ adapters	2445G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum,
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)	=	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3743 3743A	Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	2445T	Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3743G	Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
3743T	Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)	2445R	balls)/ aluminum wrench (1) Toe links, front (TUBES red-anodized, 7075-T6 aluminum,
3743P	Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled)		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3743X	Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/		Team Traxxas Items
6845X	5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo	9916 2514	Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar) Decal sheet, racing sponsors
9192	spring retainer/servo horn, steering Toe links (molded composite) (75mm center to center) (2) (assembled with hellow hellow for use with #0.482 upgrade kit)	9917	Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
	with hollow balls) (for use with #9182 upgrade kit)	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
20.42	Suspension Linkage	9909	Traxxas® racing banner, red & black (3x7 feet)
3642 9191	Attachment screws, shock (3x12mm shoulder screws) (6) Camber links, front (molded composite) (67mm center to center) (2)		Tires & Wheels
9191	(assembled with hollow balls) (for use with #9182 upgrade kit)	3775	Bushings, self-lubricating (5x8x2.5mm) (12)
2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,	2475	Front wheels(2)(Bandit)
	stronger than titanium) (2) (assembled with rod ends and hollow	1747P 3647	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8)
04444	balls)/ aluminum wrench (1)	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
2444A	Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)	1747G 1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
2444G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum,	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
	stronger than titanium) (2) (assembled with rod ends and hollow	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
	balls)/ aluminum wrench (1)	2474	Rear wheels (2) (Bandit)
2444T	Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow	1647	Silicone Grease
	balls)/ aluminum wrench (1)	3471 2754	Street tread tires, 2.15"Pro-trax (f)(2)
2444P	Camber links, front (TUBES pink-anodized, 7075-T6 aluminum,	2754 1771	Stub axle pins (4) Tire, front 2.1" spike (2)
	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)		,

Page 6	Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts	List	
2470T	Tires & wheels, assembled (2.2" black chrome wheels, Alias®	5556	Slipper pressure plate & hub (aluminum alloy)
	2.2" tires) (2) (Bandit® rear, medium compound with foam inserts)	3195 3695	Top drive gear, steel (22-tooth) Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®,
2471T	Tires & wheels, assembled (2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam		Stampede®, Slash®)
	inserts)	0.400)/	Traxxas Tools
2479T	Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front))	3433X 3433	Body reamer (aluminum handle) Body reamer (plastic handle)
2478T	Tires & wheels, assembled (2.2" black chrome wheels,	3436	Cap, body reamer
	Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)	3432	Scissors, curved tip
2470G	Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with	3431 8712	Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	foam inserts)	0712	premium handle (medium), travel pouch, hex drivers (straight:
2471G	Tires & wheels, assembled (2.2" black, satin chrome beadlock		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
	wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts)	8720	and 8.0mm), 1/4" drive Speed bit handle, large (overmolded)
2479G	Tires & wheels, assembled (2.2" black, satin chrome beadlock	8721	Speed bit handle, medium (one piece)
	wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit®	8722	Speed bit handle, premium (rubber overmold)
2478G	front) Tires & wheels, assembled (2.2" black, satin chrome beadlock	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
24.00	wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit®		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
04744	rear)		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
2471A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit front, medium compound w/	8711	8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end,
	foam inserts)	0711	includes premium handle (medium), travel pouch, hex drivers
2478A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels,		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
2470R	Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear) Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias®	8719	2.5mm, 3.0mm), 1/4" drive
247010	2.2" tires) (2) (Bandit rear, medium compound with foam inserts)	0/19	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
2471R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias®		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
2479R	Tires & wheels, assembled (Tracer 2.2" chrome wheels,	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
	Anaconda® 2.2" tires with foam inserts) (2) (Bandit front)		3.0mm) 1/4" drive
2478R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
1770	Tires, 2.15 spiked (rear) (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
2470	Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)		2.5mm, 3.0mm), 1/4" drive
2471	Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft compound)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2478	Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
	compound)		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
2479	Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound)	3415	wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
3470	Tires, street slicks (rear) (2)	3413	3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
2481A	Wheels, 2.2" (black chrome) (2) (Bandit® front)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
2480A	Wheels, 2.2" (black chrome) (2) (Bandit® rear)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
2481	Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® front)		,
2480 2473A	Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® rear) Wheels, Tracer 2.2" (black chrome) (2) (Bandit front)	0507	Turnbuckles & Threaded Rods
2472A	Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear)	2537 2444X	3mm threaded rods: 1 each of 20mm,25mm&44mm Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,
2473	Wheels, Tracer 2.2" (chrome) (2) (Bandit front)	2444	stronger than titanium) (2) (assembled with rod ends and hollow
2472	Wheels, Tracer 2.2" (chrome) (2) (Bandit rear)		balls)/ aluminum wrench (1)
	Transmission Components	2444A	Camber links, front (TUBES charcoal gray-anodized, 7075-T6
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)		aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)	2444G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum,
5478	(Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum)		stronger than titanium) (2) (assembled with rod ends and hollow
3790	Gear adapter, fixed	2444T	balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum,
3691	Gearbox halves (L&R) (black) w/ idler gear shaft		stronger than titanium) (2) (assembled with rod ends and hollow

	Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front))	3433	Body reamer (plastic handle)
2478T	Tires & wheels, assembled (2.2" black chrome wheels,	3436	Cap, body reamer
	Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear)	3432	Scissors, curved tip
2470G	Tires & wheels, assembled (2.2" black, satin chrome beadlock	3431	Scissors, straight tip
	wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
2471G	foam inserts) Tires & wheels, assembled (2.2" black, satin chrome beadlock		premium handle (medium), travel pouch, hex drivers (straight:
247 10	wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
	compound w/ foam inserts)	8720	Speed bit handle, large (overmolded)
2479G	Tires & wheels, assembled (2.2" black, satin chrome beadlock	8721	Speed bit handle, medium (one piece)
	wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit®	8722	Speed bit handle, premium (rubber overmold)
	front)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
2478G	Tires & wheels, assembled (2.2" black, satin chrome beadlock		premium handle (medium), travel pouch, hex drivers (straight:
	wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit®		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
04744	rear)		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
2471A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit front, medium compound w/	0744	8.0mm), 1/4" drive
	foam inserts)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
2478A	Tires & wheels, assembled (Tracer 2.2" black chrome wheels,		includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
	Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)		2.5mm, 3.0mm), 1/4" drive
2470R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias®	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium
	2.2" tires) (2) (Bandit rear, medium compound with foam inserts)		handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
2471R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias®		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
	inserts)		drive
2479R	Tires & wheels, assembled (Tracer 2.2" chrome wheels,	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
2470D	Anaconda® 2.2" tires with foam inserts) (2) (Bandit front)		3.0mm) 1/4" drive
2478R	Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm,
1770	Tires, 2.15 spiked (rear) (2)	8715X	2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
2470	Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound)	0/13/	2.5mm, 3.0mm), 1/4" drive
2471	Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
2.,, ,	compound)	0 7 1-7	Phillips, and #2 Phillips bits), 1/4" drive
2478	Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench /
	compound)		2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint
2479	Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft		wrench)
	compound)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
3470	Tires, street slicks (rear) (2)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
2481A	Wheels, 2.2" (black chrome) (2) (Bandit® front)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm
2480A	Wheels, 2.2" (black chrome) (2) (Bandit® rear)		wrenches/ driver handle)
2481	Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® front)		
2480	Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® rear)		Turnbuckles & Threaded Rods
2473A	Wheels, Tracer 2.2" (black chrome) (2) (Bandit front)	2537	3mm threaded rods: 1 each of 20mm,25mm&44mm
24724			
2472A 2473	Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear)	2444X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum,
2473	Wheels, Tracer 2.2" (chrome) (2) (Bandit front)	2444X	stronger than titanium) (2) (assembled with rod ends and hollow
	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear)		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472	Wheels, Tracer 2.2" (chrome) (2) (Bandit front)	2444X 2444A	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6
2473 2472 5116	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Transmission Components Ball bearings, blue rubber sealed (5x11x4mm) (2)		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends
2473 2472	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Traismission Commonwealth (Sandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2)		stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Traismission Committee (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit)	2444A	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends
2473 2472 5116 3792 5478	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAIISII SSIOI GOIIIIOIIAIS Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum)	2444A 2444G	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAIISIIISSION FOULDION (Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed	2444A	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum,
2473 2472 5116 3792 5478 3790 3691	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAIISIIISSIOI COULDING Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft	2444A 2444G	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
2473 2472 5116 3792 5478 3790 3691 3691A	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAIISIIISSION FOILING (Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft	2444A 2444G 2444T	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790 3691 3691A 5148	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAISSI SS OF COMMENT (BANDIT	2444A 2444G	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum,
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sills of College (Sx11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel)	2444A 2444G 2444T	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Iffilsiis Offolio Gils Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth)	2444A 2444G 2444T 2444P	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sills of College (Sx11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel)	2444A 2444G 2444T	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAISSI SI OF FOIL (1918) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits	2444A 2444G 2444T 2444P	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum,
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAILSIIISSI OF FOIL (CHROME) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)	2444A 2444G 2444T 2444P	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAISSI SIDE FOILIDITIES Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin	2444A 2444G 2444T 2444P 2444R	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sill Sill Foll College Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit,	2444A 2444G 2444T 2444P 2444R 2443X	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Iffilsiis of Foil of Gandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment	2444A 2444G 2444T 2444P 2444R	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAIISIIISSION FOILIDIONS Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4/) planet shafts (4/) sun gears (2/)sun gear alignment shaft (1) all hardened steel	2444A 2444G 2444T 2444P 2444R 2443X	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If Issi Sion Colling Sion Colling Sion Cover, gear/ rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit,	2444A 2444G 2444T 2444P 2444R 2443X 2443A	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sill Sill Foll College Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®)	2444A 2444G 2444T 2444P 2444R 2443X	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If IISIIISSION FOILIDITES Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled)	2444A 2444G 2444T 2444P 2444R 2443X 2443A	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 2388X 9495	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Iffilsiision Foilion (1) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)	2444A 2444G 2444T 2444P 2444R 2443X 2443A	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If Issi Sion Colling Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, 30-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/	2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 23882 2388X 9495 5552X	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sill Sill Coll Coll (Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/4.0mm NL (1)/5.0mm NL (1))	2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G 2443T	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 2388X 9495	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If Issi Sion Colling Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, 30-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/	2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 23882 2388X 9495	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sill Sill Foll Foll (1) (Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6)	2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G 2443T	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 23882 2388X 9495	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sill Sill Foll College Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x8mm washerhead machine (large head for motor mount)	2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G 2443T	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 2388X 9495 5552X 2554 3185X	Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If IISIIISSION FOILIDIONS Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x8mm washerhead machine (large head for motor mount) (6)	2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G 2443T	stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)

Page 7 Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts List

2443R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
5525R	Rod ends, heavy duty (Jato®/Slayer) (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
2445X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445A	Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445T	Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445P	Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)
2445R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.CDM